
PANS PANS

RAW SEQUENCE LISTING ERROR REPORT



The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number:	09/673,490		
Source:	01/6	•	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Date Processed by STIC:	7/24/20	01	4.4 **:

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216. PATENTIN 2.1 c-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax) PATENTIN 3.0 c-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE <u>CHECKER VERSION 3.0 PROGRAM</u>, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW:

Checker Version 3.0

The Checker Version 3.0 application is a state-of the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 – 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST.25.

Checker Version 3.0 replaces the previous DOS-based version of Checker, and is Y2K-compliant. Checker allows public users to check sequence listings in Computer Readable form (CRF) before submitting them to the United States Patent and Trademark Office (USPTO). Use of Checker prior to filing the sequence listing is expected to result in fewer errored sequence listings, thus saving time and money.

Checker Version 3.0 can be down loaded from the USPTO website at the following address: http://www.uspto.gov/web/offices/pac/checker

ERROR DETECTED	SUGGESTED CORRECTION SERIAL NUMBER: 09/673,490	
ATTN: NEW RULES CASES:	: PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SO	OFTWARE
1 Wrapped Nucleics Wrapped Aminos	The number/text at the end of each line "wrapped" down to the next line. This may occur if your file was retrieved in a word processor after creating it. Please adjust your right margin to .3; this will prevent "wrapping."	
2Invalid Line Length	The rules require that a line not exceed 72 characters in length. This includes white spaces.	
3Misaligned Amino Numbering	The numbering under each 5th amino acid is misaligned. Do not use tab codes between numbers; use space characters, instead.	
4Non-ASCII	The submitted file was not saved in ASCII(DOS) text, as required by the Sequence Rules. Please ensure your subsequent submission is saved in ASCII text.	
5Variable Length	Sequence(s) contain n's or Xaa's representing more than one residue. Per Sequence Rules, each n or Xaa can only represent a single residue. Please present the maximum number of each residue having variable length and indicate in the <220>-<223> section that some may be missing.	
6PatentIn 2.0 "bug"	A "bug" in Patentin version 2.0 has caused the <220>-<223> section to be missing from amino acid sequences(s) Normally, Patentin would automatically generate this section from the previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section to the subsequent amino acid sequence. This applies to the mandatory <220>-<223> sections for Artificial or Unknown sequences.	
7Skipped Sequences (OLD RULES)	Sequence(s) missing. If intentional, please insert the following lines for each skipped sequence: (2) INFORMATION FOR SEQ ID NO:X: (insert SEQ ID NO where "X" is shown) (i) SEQUENCE CHARACTERISTICS: (Do not insert any subheadings under this heading) (xi) SEQUENCE DESCRIPTION:SEQ ID NO:X: (insert SEQ ID NO where "X" is shown) This sequence is intentionally skipped	
	Please also adjust the "(ii) NUMBER OF SEQUENCES:" response to Include the skipped sequences.	
8Skipped Sequences (NEW RULES)	Sequence(s) missing. If Intentional, please insert the following lines for each skipped sequence. <210> sequence id number <400> sequence id number 000	
9Use of n's or Xaa's (NEW RULES)	Use of n's and/or Xaa's have been detected in the Sequence Listing. Per 1.823 of Sequence Rules, use of <220>-<223> is MANDATORY if n's or Xaa's are present. In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.	
10Invalid <213> Response	Per 1.823 of Sequence Rules, the only valid <213> responses are: Unknown, Artificial Sequence, or scientific name (Genus/species). <220>-<223> section is required when <213> response is Unknown or is Artificial Sequence	
Use of <220>	Sequence(s) missing the <220> "Feature" and associated numeric identifiers and responses. Use of <220> to <223> is MANDATORY if <213> "Organism" response is "Artificial Sequence" or "Unknown." Please explain source of genetic material in <220> to <223> section. (See "Federal Register," 06/01/1998, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of Sequence Rules)	
12PatentIn 2.0 "bug"	Please do not use "Copy to Disk" function of Patentln version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other manual means to copy file to floppy disk.	
13Misuse of n	n can only be used to represent a single nucleotide in a nucleic acid sequence. N is not used to represent any value not specifically a nucleotide.	

AMC/MH - Biotechnology Systems Branch - 08/21/2001

OIPE

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/673,490

DATE: 07/24/2001 TIME: 10:53:52

formateur - see ten 1 on Ever Summany Sheet

Input Set : A:\13922.asc

Output Set: N:\CRF3\07242001\1673490.raw

Does Not Comply Corrected Diskette Needed

5 <110> APPLICANT: The University of Queensland

9 <120> TITLE OF INVENTION: Novel omega conotoxin peptides

13 <130> FILE REFERENCE: 2338740/MJC

17 <140> CURRENT APPLICATION NUMBER: US/09/673,490

>> 19 <141> CURRENT FILING DATE: 2000-10-16

- 23 <150> PRIOR APPLICATION NUMBER: PCT/AU99/00288
- 25 <151> PRIOR FILING DATE: 1999-04-16
- 29 <150> PRIOR APPLICATION NUMBER: PP2989/98
- 31 <151> PRIOR FILING DATE: 1998-04-16
- 35 <150> PRIOR APPLICATION NUMBER: PP8419/99
- 37 <151> PRIOR FILING DATE: 1999-02-01
- 41 <160> NUMBER OF SEQ ID NOS: 44 .
- 45 <170> SOFTWARE: PatentIn version 3.0

ERRORED SEQUENCES

229 <210> SEQ ID NO: 11 ·

- 231 <211> LENGTH: 18
- 233 <212> TYPE: DNA
- 235 <213> ORGANISM: conus catus
- 239 <400> SEQUENCE: 11

E--> 240 agcggcaccg taggtaga

- 241 18 ---244 <210> SEQ ID NO: 12
 - 246 <211> LENGTH: 382
 - 248 <212> TYPE: DNA
 - 250 <213> ORGANISM: conus catus
 - 254 <220> FEATURE:
 - 256 <221> NAME/KEY: CDS
 - 258 <222> LOCATION: (10)..(228)
 - 260 <400> SEOUENCE: 12

E--> 261 atcatcaaa atq aaa ctg acg tgt gtg gtg atc gtc gcc gtg ctg ctc ctg

262

Met Lys Leu Thr Cys Val Val Ile Val Ala Val Leu Leu Leu 263

265

E--> 268 acg gcc tgt caa ctc atc aca gct aat gac tcc aga ggt acg cag aag

270 Thr Ala Cys Gln Leu Ile Thr Ala Asn Asp Ser Arg Gly Thr Gln Lys

E--> 275 cat cgt gcc ctg agg tcg gac acc aaa ctc tcc atg tcg act cgc tgc

147

277 His Arg Ala Leu Arg Ser Asp Thr Lys Leu Ser Met Ser Thr Arg Cys 279

E--> 282 aag agt aaa gga gca aaa tgt tca aag ctt atg tat gac tgc tgc agc

284 Lys Ser Lys Gly Ala Lys Cys Ser Lys Leu Met Tyr Asp Cys Cys Ser

RAW SEQUENCE LISTING

DATE: 07/24/2001

PATENT APPLICATION: US/09/673,490

TIME: 10:53:52 '

Input Set : A:\13922.asc

Output Set: N:\CRF3\07242001\1673490.raw

286 60 E--> 289 ggt tot tgc agc ggc acc gta ggt aga tgt ggc tgatccggcg cttgatctcc 290 248 -291 Gly Ser Cys Ser Gly Thr Val Gly Arg Cys Gly

65

E--> 296 cccttctgtg ctctatcctt ttctgcctga gtcctcctta cctgagagtg gtcatgaacc

297

E--> 299 actcatcacc tacccctgg aggtctcaaa gaactacttg aaataaagcc gcttgcaaaa

300 368

E--> 302 aaaaaaaaa aaaa

303 382

file://C:\Crf3\Outhold\VsrI673490.htm

(210> 3
 (211> 6
 (212> PRT
 (213> Synthetic sell Lem /o on Even Junnary Sheet
 (400> 3
 Ser Arg Leu Met Tyr Asp
 1
 5
 This line opplais in other
 sery Leu Met Tyr Asp
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1

FIZ

Use of n and/or Xaa has been detected in the Sequence Listing. Review the Sequence Listing to insure a corresponding explanation is presented in the <220> to <223> fields of each sequence using n or Xaa.

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/673,490

DATE: 07/24/2001 TIME: 10:53:53

Input Set : A:\13922.asc

Output Set: N:\CRF3\07242001\1673490.raw

```
L:17 M:270 C: Current Application Number differs, Replaced Current Application Number
L:19 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:240 M:254 E: No. of Bases conflict, LENGTH:Input:0 Counted:18 SEQ:11
L:261 M:254 E: No. of Bases conflict, LENGTH:Input:0 Counted:51 SEQ:12
L:268 M:254 E: No. of Bases conflict, LENGTH:Input:0 Counted:99 SEQ:12
L:275 M:254 E: No. of Bases conflict, LENGTH:Input:0 Counted:147 SEQ:12
L:282 M:254 E: No. of Bases conflict, LENGTH:Input:0 Counted:195 SEQ:12
L:289 M:254 E: No. of Bases conflict, LENGTH:Input:0 Counted:248 SEQ:12
L:296 M:254 E: No. of Bases conflict, LENGTH:Input:0 Counted:308 SEQ:12
L:299 M:254 E: No. of Bases conflict, LENGTH:Input:0 Counted:368 SEQ:12
L:302 M:254 E: No. of Bases conflict, LENGTH:Input:0 Counted:382 SEQ:12
L:502 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:22
L:502 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22
L:686 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:30
L:686 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30
L:713 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:31
L:713 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31
L:833 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:37
L:833 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:37
L:856 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:38
L:856 \ M:341 \ W: \ (46) \ "n" \ or "Xaa" \ used, for SEQ ID#:38
L:880 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:39
L:880 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:39
L:883 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:39
L:883 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:39
```